Journal of Biochemical and Biophysical Methods, 26 (1993) 357–359

© 1993 Elsevier Science Publishers B.V. All rights reserved 0165-022X/93/$06.00

Contents of Volume 26

No. 1

Research Articles

A. Földesi, F.P.R. Nilson, C. Glemarec, C. Gioeli and J. Chattopadhyaya (Sweden)
NMR spectroscopic properties (^{1}H at 500 MHz) of deuterated ribonucleotide-dimers ApU, GpC, partially deuterated 2′-deoxyribonucleotide-dimers d(TpA), d(ApT), d(GpC) and their comparison with natural counterparts (^{1}H-NMR window) 1

K. Inouye and K. Morimoto (Japan)
Single-step purification of $F(ab')_{2\mu}$ fragments of mouse monoclonal antibodies (immunoglobulins M) by hydrophobic interaction high-performance liquid chromatography using TSKgel Ether-5PW 27

J. Mohammad, K.-O. Eriksson and G. Johansson (Sweden)
Real-time kinetic analysis of limited proteolysis by ion-exchange chromatography using compressed, non-porous agarose beads 41

M. Prescott, K. Peek, D.P. Veitch and R.M. Daniel (New Zealand)
The use of phenyl-Sepharose for the affinity purification of proteinases 51

R.J. Zimmerman, H. Chao, G.D. Fullerton and I.L. Cameron (USA)
Solute/solvent interaction corrections account for non-ideal freezing point depression 61

V.I. Silin, G.A. Balchytis and J.J. Kulys (Lithuania)
The application of polystyrene waveguides to protein adsorption investigations 71

Short Notes

R. Kittelberger and F. Hilbink (New Zealand)
Sensitive silver-staining detection of bacterial lipopolysaccharides in polyacrylamide gels 81

J. Fibla and R. Gonzàlez-Duarte (Spain)
Colorimetric assay to determine alcohol dehydrogenase activity 87

No. 2,3

Research Articles

I.K. Abukhalaf and R.A. Masaracchia (USA)
Protein phosphatase assay using a modification of the P81 paper protein kinase assay procedure 95

J. Albani (France)
A study of the interaction between two proteins, one containing a flavin mononucleotide 105

R. Urrutia, M.A. McNiven and B. Kachar (USA)
Synthesis of RNA probes by the direct in vitro transcription of PCR-generated DNA templates 113

J. Woodward, J. Tate, P.C. Herrmann and B.R. Evans (USA)
Comparison of Ellman's reagent with *N*-(1-pyrenyl)maleimide for the determination of free sulfhydryl groups in reduced cellobiohydrolase I from *Trichoderma reesei* 121

K.I. Dunér (Sweden)
A new kinetic single-stage Limulus amoebocyte lysate method for the detection of endotoxin in water and plasma 131

K.Z. Marolia and S.F. D'Souza (India)
A simple technique for the immobilization of lysozyme by cross-linking of hen egg white foam 143

C.P. Mudd, N.L. Gershfeld, R.L. Berger and K. Tajima (USA)
A differential heat-conduction microcalorimeter for heat-capacity measurements of fluids 149

T. Maltseva, A. Sandström, I.M. Ivanova, D.S. Sergeyev, V.F. Zarytova and J. Chattopadhyaya (Sweden, Russia)
Structural studies of the 5′-phenazinium-tethered matched and G-A-mismatched DNA duplexes by NMR spectroscopy 173

Short Note
T. Marshall and K.M. Williams (UK)
Bradford protein assay and the transition from an insoluble to a soluble dye complex: effects of sodium dodecyl sulphate and other additives 237

Book Reviews 241

No. 4

Research Articles
L.S. Lee and H.M. Garnett (Australia)
Estimation of total DNA in crude extracts of plant leaf tissue using 4′,6-diamidino-2-phenylindole (DAPI) fluorometry 249

F.G. Díaz, J.J. López Cascales and J. García de la Torre (Spain)
Bead-model calculation of scattering diagrams: Brownian dynamics study of flexibility in immunoglobulin IgG1 261

Z. Hodny and I. Syrovy (Czech Republic)
The interference of cysteine thiols in the detection of glycated and non-glycated proteins by modified silver staining after sodium dodecyl sulfate-polyacrylamide gel electrophoresis 273

I. Hemmilä, V.-M. Mukkala, M. Latva and P. Kiilholma (Finland)
Di- and tetracarboxylate derivatives of pyridines, bipyridines and terpyridines as luminogenic reagents for time-resolved fluorometric determination of terbium and dysprosium 283

J.A. Fernández-López, E. Latres, X. Remesar and M. Alemany (Spain)
A radio-enzymatic method for the estimation of L-leucine-specific radioactivity 291

G.D. Fullerton, R.J. Zimmerman, K.M. Kanal, L.J. Floyd and I.L. Cameron (USA)
Method to improve the accuracy of membrane osmometry measures of protein molecular weight 299

A. Tanaka, A. Morikawa, Y. Saito, S. Tamura, T. Nakamura, K. Takagaki and M. Endo (Japan)
Simple measurement of glycosaminoglycan produced by cultured fibroblasts using 4-methylumbelliferyl β-D-xyloside 309

J. Plavec, V. Fabre-Buet, V. Uteza, A. Grouiller and J. Chattopadhyaya (Sweden, France)
Conformational studies on some *C1'*-branched β-D-nucleosides by ^{1}H-NMR spectroscopy and molecular mechanics calculations 317

M. Cappiello, A. Del Corso, M. Camici and U. Mura (Italy)
Thiol and disulfide determination by free zone capillary electrophoresis 335

Short Note
J. Ross, D.R. Janero, D. Hreniuk and L.P. Wennogle (USA)
Radioiodination of transforming growth factor-β (TGF-β) in a modified Bolton-Hunter reaction system 343

Author Index 351

Subject Index 355

Contents of Volume 26 357